

Owner / Applicant Information

CATHY SALES  
LARSON DANIELS  
302 TYLER ST

LA PORTE IN 46350

Phone 6306524023

Email ERICA.DELGADO@THYSSENKRUPP.COM

Submitter Information

ERICA DELGADO  
THYSSENKRUPP ELEVATOR  
355 EISENHOWER LANE SOUTH

LOMBARD IN

Phone 6306524023

Email ERICA.DELGADO@THYSSENKRUPP.COM

Project Information

VALPORAISO HIGH SCHOOL  
2727 N CAMPBELL ST

VALPORAISO IL 46383

County PORTER

Project Type New ☒ Y Addition ☐ Alteration ☐ Existing ☐ Change of Occupancy ☐

Project Status ☒ U F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☒ No Has Violation been Issued? ☒ No

Violation Issued by: NA

Local Building Official

Phone:

Email:

Local Fire Official

Phone:

Email:

Variance Details

Code Name: ASME A17.1 2007  
3.19.4.1, 3.19.4.4, 3.19.4.5

Conditions: THIS IS NEW HYDRAULIC MRL TECHNOLOGY, WHICH HAS NOT BEEN ADOPTED BY THE STATE OF INDIANA. PLEASE REFERENCE APPROVED VARIANCE #14-05-04.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

1

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: SEE ATTACHED.  
THIS TYPE OF ELEVATOR IS SAFE AND IS BEING USED IN OTHER BUILDINGS IN INDIANA AND ACROSS THE COUNTRY.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

☒

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

☐

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: LACK OF MACHINE ROOM ALLOWS FOR ORE USABLE SPACE IN THE BUILDING.