

Owner / Applicant Information

Matt Wood
CA Ventures
130 EAST RANDOLPH ST.
SUITE 2100
CHICAGO IL 60601
Phone 3126615486
Email MWOOD@CA-STUDENTLIVING.COM

Submitter Information

Donna Willis
thyssenkrupp Elevator
8665 Bash Street

Indianapolis IN

Phone 3178417321
Email donna.willis@thyssenkrupp.com

Designer Information

Shaun Landon
Shepley-Bulfinch
2 Seaport Lane

Boston MA

Phone 6177941185
Email slandon@shepleybulfinch.com

Project Information

The Rise at Chauncey
100 S. Chauncey Ave.

West Lafayette IN 47906

County TIPPECANOE

Project Type New ☒ Y Addition ☐ Alteration ☐ Existing ☐ Change of Occupancy ☐

Project Status ☒ F F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☐ Has Violation been Issued? ☐

Violation Issued by: NA

Local Building Official

Phone: Email:

Local Fire Official

Phone: Email:

Variance Details

Code Name: ASME A17.1 2007

2.20.4, 2.20.4.1

Conditions: We will be using 8mm ropes. ASME A17.1 2007

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

☐ 1

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: We are requesting variance for 8mm cables. This is now accepted by the recently published ASME A17.6-2010 code and ASME 2010/CSA B44-10 code and has also been A17.7 certified by an AECO.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

☒ Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

☐

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: We will be using 8mm ropes. ASME A17.1 2007