

Owner / Applicant Information

Chris Buck
Storage Express Holdings, LLC
PO BOX 70

BLOOMINGTON IN 47402

Phone 8123366339

Email CBUCK@STORAGEEXPRESS.COM

Submitter Information

Chris Buck

PO Box 70

Bloomington IN

Phone 8123238255

Email cbuck@storageexpress.com

Designer Information

JERRY GENE HOFFMAN
US Architects
9200 West Smith St.

Yorktown IN

Phone 7654051220

Email jhoff@usarchitectsmuncie.com

Project Information

Storage Express-Lebanon-Bldg 14
330 S Garoffolo Blvd

Lebanon IN 46020

County BOONE

Project Type New ☒ Y Addition ☐ Alteration ☐ Existing ☐ Change of Occupancy ☐

Project Status ☒ F F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☒ No Has Violation been Issued? ☒ No

Violation Issued by: NA

Local Building Official

Phone: Email:

Local Fire Official

Phone: Email:

Variance Details

Code Name: Other Code (Not in the list provided)
1809.5 2014 IBC

Conditions: Project will use floating slab foundations. Foundations will not extend below frost line.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

- 1 1=Non-compliance with the rule will not be adverse to the public health, safety or w
- 2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: Foundations as designed have been used historically in many other storage facilities without adverse affect on the public.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

- ☐ Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.
- ☐ Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.
- ☒ Y Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.
- ☐ Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: Entire concrete slab sits on a layer of free draining granular fill. The design and uniform loading should allow more uniform displacement if heave occurs, resulting in less stress on the foundation and structure. See attached letter from Trachte Building Systems.