

Owner / Applicant Information

Brad Bastin  
Hancock Health  
801 NORTH STATE STREET  
  
GREENFIELD IN 46140  
Phone 3174684509  
Email BBASTIN@MESSER.COM

Submitter Information

Donna Willis  
thyssenkrupp Elevator  
8665 Bash Street  
  
Indianapolis IN  
Phone 3178417321  
Email donna.willis@thyssenkrupp.com

Designer Information

Joe Raper  
CSO Architects  
8831 Keystone Crossing  
  
Indianapolis IN  
Phone 3178487800  
Email jraper@csoinc.net

Project Information

Hancock Regional Health Phase 1 Clinic  
200N and N 600W

GREENFIELD IN 46104

County HANCOCK

Project Type New ☒ Y Addition ☐ Alteration ☐ Existing ☐ Change of Occupancy ☐

Project Status ☒ F F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☐ Has Violation been Issued? ☐

Violation Issued by: NA

Local Building Official

Phone:  Email:

Local Fire Official

Phone:  Email:

### Variance Details

Code Name: Other Code (Not in the list provided)

3.26.8 ASME A17.1 2007

Conditions:

ASME A17.1 2007

This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

#### DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

1

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts:

ASME A17.1 2007

This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

#### DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

☒

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

☐

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts:

ASME A17.1 2007

This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

Variance Details

Code Name: ASME A17.1 2007  
3.19.4.1,3.19.4.4,3.19.4.5

Conditions: ASME A17.1 2007  
This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

- 1

1=Non-compliance with the rule will not be adverse to the public health, safety or w
- 2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: ASME A17.1 2007  
This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

- Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.
- Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.
- Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: ASME A17.1 2007  
This is new Hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04.

