

Owner / Applicant Information

Ryan Miller

816 SOUTH 11TH STREET

DECATUR IN 46733

Phone 2607551438

Email RYANMREALTOR@GMAIL.COM

Submitter Information

Edwin Rensink

RTM Consultants Inc

6640 Parkdale Place

Indianapolis IN

Phone 3173297700

Email rensink@rtmconsultants.com

Project Information

Children's Autism Center

10820 Coldwater Road

Fort Wayne IN 46845

County ALLEN

Project Type New ☐ Addition ☐ Alteration ☐ Existing ☒ Change of Occupancy ☐

Project Status ☒ U F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☒ No Has Violation been Issued? ☒ No

Violation Issued by: NA

Local Building Official

Phone: Email:

Local Fire Official

Phone: Email:

Variance Details

Code Name: 12-4-11 Change of Occupancy or Use of Existing Buildings

Rule 4, Section 11(b), GAR

Conditions: This variance request is to extend previously approved Variance 18-04-16 (expires April 30, 2019) for an additional 12 months. The Childrens Autism Center occupies approximately 3,700 sq ft of tenant space in the building, and was cited for having changed occupancy of the space from B Occupancy to I-4 Occupancy. The variance request is to permit occupancy of the current space for an additional 12 months without bringing the building into compliance with all I-4 requirements per the IBC.

The Childrens Autism Center provides one-on-one therapy based upon Applied Behavior Analysis methodology. Services include speech therapy and social skills. Ages served are 2 to the mid-20's. A maximum of 20 clients are in the building at one time.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

1

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: 1. A smoke detection system has been provided throughout the tenant space.

2. Exits are at grade directly to the exterior. The building is 1-story in height.

3. Egress lighting and exit signs has been provided per code.

4. Based upon the limited occupant load, direct exits to the exterior, and the proposed detection system, the change of occupancy for the additional period of time is not adverse to safety.

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

☐ Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

☐ Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

☒ Y Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.

☐ Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: Sec. 3412.2 states that an evaluation is permitted per NFPA 101A for an I-4 Occupancy. However, there is no corresponding chapter in NFPA 101A for an I-4 Occupancy. NFPA 101A covers, Health Care, Board and Care, Detention, and Business Occupancies. The only other alternative is to bring the entire building into full compliance with current codes. Use of the space with the noted improvements will allow Childrens Autism Center to locate another tenant space or building more suited to this use.