Owner /	Applicant	Information	

Patrick Horan Drury Development Corporation 721 EMERSON SUITE 200 SAINT LOUIS MO 63141

Phon€ 3144236698

# Email PATRICK.HORAN@DRURYDEVELOPMENT.COM

# Submitter Information

Donna Willis thyssenkrupp Elevator 8665 Bash St.

Indianapolis IN

Phon€ 3178417321

Email donna.willis@thyssenkrupp.com

Designer	Information

Paul Greco Drury Development Corporation 721 Emerson Rd. Suite 200 Saint Louis MO

Phon€ 3144236698

Email paul.greco@drurydevelopment.com

Project Information
Drury Inn & Suites Lafayette
4110 South St.
Lafayette IN 47905
County TIPPECANOE
Project Type New Y Addition Alteration Existing Change of Occupancy
Project Status F F=Filed U or Null=Unfiled
IDHS Issued Correction order? Has Violation been Issued?
Violation Issued by: NA
Local Building Official
Phone: 7658071043 Email: mgick@lafayette.in.gov
Local Fire Official
Phone: 7658071043 Email: blaikire@lafayette.in.gov

### Variance Details

1

Code Name: ASME A17.1 2007

2.14.1.7.1, 2.20.1, 2.20.2.1

### Conditions: ASME A17.1 2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.

### DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

# Facts: ASME A17.1 2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.

### DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.



Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

Y
Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.



F

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

acts:	ASME	A17.1	2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.

Variance Details

Code Name: ASME A17.1 2007

2.20.2.2,2.20.3,2.20.9,2.25.3

# Conditions: ASME A17.1 2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the

Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

1=Non-compliance with the rule will not be adverse to the public health, safety or w

2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: ASME A17.1 2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.

# DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.

|--|

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.



Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

# Facts: ASME A17.1 2007

ThyssenKrupp Elevator is requesting approval for an alternate method suspension of the Evolution MRL (EVO) series of elevator to the ASME A17.1 2007 code year. Evolution 200 is code compliant to the ASME A17.1 2010-16 Safety Code for Elevators and Escalators and the ASME A17.6 2010 standard for elevator suspension, compensation and governor systems code years. The EVO product is a belted traction system with the controller either in the jamb or in a control space, control room, machine room. Please reference approved variance #19-01-48.