

Owner / Applicant Information

Bob Leimberg  
Brahms Construction  
120 South Central Ave  
Suite 1050  
Clayton MO 63105  
Phone 6308129668  
Email bleimberg@brahmsconstruction.com

Submitter Information

Sabina Kulach  
thyssenkrupp  
3600 Lacey Rd  
Suite 100  
Downers Grove IN  
  
Phone 6308129668  
Email sabina.kulach@thyssenkrupp.com

Designer Information

David Mastin  
St. Louis Design Alliance  
6014 Delmar  
  
St. Louis IL  
  
Phone 3148631313  
Email bleimberg@brahmsconstruction.com

Project Information

Cedarhurst of Dyer  
1763 Calumet

Dyer IL 46311

County LAKE

Project Type New ☒ Addition ☐ Alteration ☐ Existing ☐ Change of Occupancy ☐

Project Status ☒ F F=Filed U or Null=Unfiled

IDHS Issued Correction order? ☐ Has Violation been Issued? ☐

Violation Issued by: NA

Local Building Official

Phone:

Email:

Local Fire Official

Phone:

Email:

Variance Details

Code Name: ASME A17.1 2007  
3.19.4.1,3.19.4.4,3.19.4.5

Conditions: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

- 1

1=Non-compliance with the rule will not be adverse to the public health, safety or w
- 2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

- ☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.
- ☐

Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.
- Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.
- ☐

Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

Variance Details

Code Name: ASME A17.1 2007  
3.26.8

Conditions: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

DEMONSTRATION THAT PUBLIC HEALTH, SAFETY, AND WELFARE ARE PROTECTED:

- 1

1=Non-compliance with the rule will not be adverse to the public health, safety or w
- 2= Applicant will undertake alternative actions in lieu of compliance with the rule to ensure that granting of the variance will not be adverse to public health, safety, or welfare. Explain why alternative actions would be adequate (be specific).

Facts: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

DEMONSTRATION OF UNDUE HARDSHIP OR HISTORICALLY SIGNIFICANT STRUCTURE:

- Imposition of the rule would result in an undue hardship (unusual difficulty) because of physical limitations of the construction site or its utility services.
- Imposition of the rule would result in an undue hardship (unusual difficulty) because of major operational problems in the use of the building or structure.
- Y

Imposition of the rule would result in an undue hardship (unusual difficulty) because of excessive costs of additional or altered construction elements.
- Imposition of the rule would prevent the preservation of an architecturally or a historically significant part of the building or structure

Facts: ASME A17.1 2007  
This is new hydraulic MRL technology, which has not been adopted by the state of Indiana.  
Please reference variance #14-05-04

